

Sample ID SD260622-743 (110463789007)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatinate (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, June 22 2026 16:11:39 -0900



LABORATORY LIMS & ELN

[illegible]

Sample ID SD260622-743 (110463789010)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatinate (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, Jun 22 2026 16:11:39 -0900




PharmWare
LABORATORY LIMS & ELN

[illegible]

Sample ID SD260622-743 (110463789013)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, Jun 22 2026 16:11:39 -0900



PharmWare
LABORATORY LIMS & ELN

[illegible]

Sample ID SD260622-743 (110463789016)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, Jun 22 2026 16:11:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017Acc. 85368



LABORATORY LIMS & ELN

[illegible]

Sample ID SD260622-743 (110463789001)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, June 22 2026 16:11:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017Acc. 85368

[illegible]

Sample ID SD260622-743 (110463789004)		Matrix Edible	
Tested for Double Bites			
Sampled -	Received June 15th, 2026	Reported June 22nd, 2026	
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

Analyzed June 19th, 2026 | Instrument HPLC VWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.235	0.713	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Mon, June 22 2026 16:11:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017Acc. 85368



PharmWare
LABORATORY LIMS & ELN

[illegible]